
* 1/4" THICK STRIKER PLATES INSTALLED ON THE TANK INTERIOR BOTTOM UNDER EACH OPENING IN ACCORDANCE WITH STEEL TANK INSTITUTE

* ALL OPENINGS INSTALLED WITH DI-ELECTRIC BUSHINGS OR SPOOL FLANGES AND FLANGE ISOLATION KITS IN ACCORDANCE WITH STEEL TANK INSTITUTE

**** THIS TANK DESIGNED FOR MAXIMUM BURIAL DEPTH OF 5 FEET (GRADE TO TOP OF TANK) WITH APPROVED BACKFILL MATERIAL





CUSTOMER APPROVAL SIGNATURE/DATE			CUSTOMER: PROJECT:
	SURFACE PREPARATION/COATING INFORMATION:	MATERIAL /CONSTRUCTION/ LABELING INFORMATION:	AGENT:
	EXTERIOR SURFACES: SSPC-SP-6 COMMERCIAL BLAST CLEAN 100 mils MINIMUM STEEL TANK INSTITUTE APPROVED FIBERGLASS REINFORCED POLYESTER RESIN COATING (REICHHOLD CHEMICALS 33-402/33-404 POLYESTER RESIN AND PPG FIBERGLASS ROVING)	MATERIAL: CARBON STEEL (ASTM A 36, ASTM A 635 OR ASTM A 569) MATERIAL THICKNESS: PRIMARY TANK: 7 GA (ROARK MINIMUM .1694 W/STIFFNER) PRIMARY HEADS: 1/4" CONSTRUCTION IN ACCORDANCE WITH UNDERWRITERS LABORATORIES UL-58 STANDARD FOR STEEL UNDERGROUND TANKS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS AND STEEL TANK INSTITUTE ACT-100 SPECIFICATION FOR EXTERNAL CORROSION PROTECTION OF FRP COMPOSITE	BUILDING TANKS TO PROTECT
QUANTITY: ONE (1) REQUIRED WEIGHT: 9,250 lbs ± 5%		STEEL UNDERGROUND STORAGE TANKS LABELING/MARKING: UNDERWRITERS LABORATORIES UL-58 / STEEL TANK INSTITUTE ACT-100 / G.I. NAMEPLATE	P.O. BOX 1279 GOLDSBORO, NC 27533 PHONE: (919)751–1791 FAX: (919)751–8186 DRAWING NUMBER: 2,22.08